



Maine Department of Health and Human Services

Maine Center for Disease Control and Prevention
(Formerly Bureau of Health)
286 Water Street
11 State House Station
Augusta, ME 04333-0011

John Elias Baldacci
Governor

Laboratory ID: RI0002 Date of Issue: 2/2/2009 Expiration Date: 1/22/2011
ESS Laboratory (401) 461-7181
185 Frances Avenue Cranston RI 02910
Certificate Number: 2009002

Has demonstrated the capability to analyze DRINKING WATER analytes as defined by the 22 M.R.S.A., Chapter 157-A and the rules for Comprehensive Environmental Laboratory Certification and the Safe Drinking Water Act is hereby granted CERTIFICATION FOR:

pH	EPA 150.1	Full Certification
Bromide	EPA 300.0	Full Certification
Fluoride	EPA 300.0	Full Certification
Nitrogen, Nitrate	EPA 353.2	Full Certification
Nitrogen, Nitrite	EPA 353.2	Full Certification
ortho-Phosphate as P	EPA 365.1	Full Certification
Alkalinity	SM 2320 B	Full Certification
Specific Conductance	SM 2510 B	Full Certification
Cyanide	SM 4500 (CN-) E	Full Certification
Barium	EPA 200.7	Full Certification
Beryllium	EPA 200.7	Full Certification
Cadmium	EPA 200.7	Full Certification
Chromium	EPA 200.7	Full Certification
Copper	EPA 200.7	Full Certification
Nickel	EPA 200.7	Full Certification
Antimony	EPA 200.9	Full Certification
Arsenic	EPA 200.9	Full Certification
Lead	EPA 200.9	Full Certification
Selenium	EPA 200.9	Full Certification
Thallium	EPA 200.9	Full Certification
Mercury	EPA 245.1	Full Certification
Benzene	EPA 524.2	Full Certification
Bromodichloromethane	EPA 524.2	Full Certification
Bromoform	EPA 524.2	Full Certification
Carbon Tetrachloride	EPA 524.2	Full Certification
Chlorobenzene	EPA 524.2	Full Certification
Chloroform	EPA 524.2	Full Certification
Dichlorobenzene, 1,2-	EPA 524.2	Full Certification
Dichlorobenzene, 1,4-	EPA 524.2	Full Certification
Dichloroethane, 1,2-	EPA 524.2	Full Certification
Dichloroethylene, 1,1-	EPA 524.2	Full Certification
Dichloroethylene, trans-	EPA 524.2	Full Certification
Dichloromethane	EPA 524.2	Full Certification
Dichloropropane, 1,2-	EPA 524.2	Full Certification
Ethylbenzene	EPA 524.2	Full Certification
Styrene	EPA 524.2	Full Certification
Tetrachloroethylene	EPA 524.2	Full Certification

This analyte list supercedes all previously issued.


Matthew J. Sica, Certification Officer

DISPLAY IN A PROMINENT POSITION



Maine Department of Health and Human Services

Maine Center for Disease Control and Prevention
(Formerly Bureau of Health)
286 Water Street
11 State House Station
Augusta, ME 04333-0011


John Elias Baldacci
Governor

Laboratory ID: RI0002 Date of Issue: 2/2/2009 Expiration Date: 1/22/2011
ESS Laboratory (401) 461-7181
185 Frances Avenue Cranston RI 02910
Certificate Number: 2009002

Has demonstrated the capability to analyze DRINKING WATER analytes as defined by the 22 M.R.S.A., Chapter 157-A and the rules for Comprehensive Environmental Laboratory Certification and the Safe Drinking Water Act is hereby granted CERTIFICATION FOR:

Toluene	EPA 524.2	Full Certification
Trichlorobenzene, 1,2,4-	EPA 524.2	Full Certification
Trichloroethane, 1,1,1-	EPA 524.2	Full Certification
Trichloroethane, 1,1,2-	EPA 524.2	Full Certification
Trichloroethylene	EPA 524.2	Full Certification
Vinyl Chloride	EPA 524.2	Full Certification
Xylenes, Total	EPA 524.2	Full Certification
Dibromoacetic Acid	EPA 552.2	Full Certification
Dichloroacetic Acid	EPA 552.2	Full Certification
Monobromoacetic Acid	EPA 552.2	Full Certification
Monochloroacetic Acid	EPA 552.2	Full Certification
Trichloroacetic Acid	EPA 552.2	Full Certification

This analyte list supercedes all previously issued.


Matthew J. Sica, Certification Officer

DISPLAY IN A PROMINENT POSITION